

SirtaKi

INKAPSULIRANA SUSPENZIJA - CS

(klomazon 360 g/l)

NOVI PROIZVOD!

Sirtaki je **selektivni zemljišni herbicid** namijenjen suzbijanju jednogodišnjih širokolisnih i nekih jednogodišnjih uskolisnih korova u krumpiru, soji i duhanu.



Chromos Agro d.o.o.



Radnička cesta 173n, 10002
Zagreb



chromos-agro@chromos-agro.hr



Tel. +385 1 6040 580
Fax. +385 1 6040 399

SirtaKi

Spektar djelovanja: portulak, bijela loboda, europski mračnjak, crna pomoćnica, obični koštan, američko proso, muhari (*Setaria* spp.)

Primijeniti najkasnije do stadija BBCH 08 u količini 0,25-0,3 L/ha (25-30 ml/1000 m²).

Utrošak vode: 200-500 L/ha.



Primijeniti nakon sjetve, a prije nicanja soje (pre-em) najkasnije do stadija BBCH 08 u količini 0,3-0,4 L/ha (30-40 ml/1000 m²).
ili
nakon nicanja (post-em) do 4 troliske soje (BBCH 10-14) u količini 0,3 L/ha (30 ml/1000 m²).

Utrošak vode: 200-400 L/ha.

Primijeniti 2-4 dana nakon presađivanja, u razvojnim stadijima duhana 1-8 listova (BBCH 11-18) u količini 0,4-0,5 L/ha (40-50 ml/1000 m²).
Prilikom tretiranja mlaz usmjeriti prema tlu.

Utrošak vode: 200-500 L/ha.



Chromos Agro d.o.o.

Ovaj letak je savjetodavnog karaktera. Prilikom primjene pripravka pažljivo pročitajte uputu za uporabu priloženu uz proizvod.



Radnička cesta 173n, 10002
Zagreb



chromos-agro@chromos-agro.hr



Tel. +385 1 6040 580
Fax. +385 1 6040 399